

### III. AMENDMENTS TO THE CLAIMS

The following listing of claims replaces all prior versions, and listings, of claims in the application:

1. (Currently Amended) A universal user roaming method, comprising:

providing a computer program having a first set of program code executable on a first WIN32-based operating system, the first set of program code being a version of ~~an~~ a user application that is adapted for execution on the first WIN32-based operating system, and a second set of program code executable on a second non WIN32-based operating system for a handheld device, the second set of program code being a different version of the user application that is adapted for execution on the first WIN32-based operating system;

setting the first set of program code and the second set of program code to read and write from a common datastore; and

storing the first set of program code, the second set of program code and the common datastore on a removable storage medium that is accessible to only one of the operating systems at any one time,

wherein the first set of program code and the second set of program code provide the operating systems functionality to execute the user application from the removable storage medium and perform operations on the common datastore.

2. (Original) The method of claim 1, wherein the first operating system is an operating system for a computer system selected from the group consisting of a desktop and a laptop.

3-5. (Canceled).

6. (Original) The method of claim 1, wherein the removable storage medium is selected from the group consisting of a SD-RAM card, a microdrive, a ZIP drive and a read-writeable compact disc.

7. (Previously Presented) The method of claim 6, wherein the SD-RAM interfaces with a computer system via a USB adapter.

8. (Currently Amended) A universal user roaming method, comprising:

providing a computer program having a first set of program code executable on a WIN32-based operating system, the first set of program code being a version of ~~an~~ a user application that is adapted for execution on the first WIN32-based operating system, and a second set of program code executable on a handheld device-based operating system, the second set of program code being a different version of the user application that is adapted for execution on the first WIN32-based operating system;

setting the first set of program code and the second set of program code to read and write from a common datastore; and

storing the first set of program code, the second set of program code and the common datastore on a removable storage medium that is accessible to only one of the operating systems at any one time,

wherein the first set of program code and the second set of program code provide the operating systems functionality to execute the user application from the removable storage medium and perform operations on the common datastore.

9. (Original) The method of claim 8, wherein the WIN32-based operating system is for a computer system selected from the group consisting of a desktop and a laptop.

10. (Original) The method of claim 8, wherein the first set of program code and the second set of program code are provided within a common directory.

11. (Original) The method of claim 8, wherein the removable storage medium is selected from the group consisting of a SD-RAM card, a microdrive, a ZIP drive and a read-writeable compact disc.

12. (Original) The method of claim 11, wherein the SD-RAM card interfaces with a computer system via a USB adapter.

13-26. (Canceled).

27. (Currently Amended) A universal user roaming system, comprising:

at least one computer device;

a code development system for providing a computer program having a first set of

program code executable on a first operating system, the first set of program code being a version of ~~an~~ a user application that is adapted for execution on the first WIN32-based operating system, and a second set of program code executable on a second non WIN32-based operating system for a handheld device, the second set of program code being a different version of the user application that is adapted for execution on the first WIN32-based operating system;

a storage setting system for setting the first set of program code and the second set of program code to read and write from a common datastore; and

an export system for storing the first set of program code, the second set of program code and the common datastore on a removable storage medium,

wherein the first set of program code and the second set of program code provide the operating systems functionality to execute the user application from the removable storage medium and perform operations on the common datastore.

28. (Previously Presented) The system of claim 27, wherein the first operating system is an operating system for a computer system selected from the group consisting of a desktop and a laptop.

29. (Previously Presented) The system of claim 27, wherein the first set of program code and the second set of program code are provided within a common directory.

30. (Previously Presented) The system of claim 27, wherein the removable storage medium is selected from the group consisting of a SD-RAM card, a microdrive, a ZIP drive and a read-

writable compact disc.

31. (Previously Presented) The system of claim 30, wherein the SD-RAM card interfaces with a computer system via a USB adapter.

32. (Currently Amended) A universal user roaming program product stored on a computer readable storage medium ~~recordable~~ medium, which when executed, comprises:

means for providing a computer program having a first set of program code executable on a first WIN-32 based operating system, the first set of program code being a version of ~~an~~ a user application that is adapted for execution on the first WIN32-based operating system, and a second set of program code executable on a second non-WIN32-based operating system for a handheld device, the second set of program code being a different version of the user application that is adapted for execution on the first WIN32-based operating system;

means for setting the first set of program code and the second set of program code to read and write from a common datastore; and

means for storing the first set of program code, the second set of program code and the common datastore on a removable storage medium,

wherein the first set of program code and the second set of program code provide the operating systems functionality to execute the user application from the removable storage medium and perform operations on the common datastore.

33. (Previously Presented) The program product of claim 32, wherein the first operating system

is an operating system for a computer system selected from the group consisting of a desktop and a laptop.

34. (Previously Presented) The program product of claim 32, wherein the first set of program code and the second set of program code are provided within a common directory.

35. (Previously Presented) The program product of claim 32, wherein the removable storage medium is selected from the group consisting of a SD-RAM card, a microdrive, a ZIP drive and a read-writeable compact disc.

36. (Previously Presented) The program product of claim 35, wherein the SD-RAM card interfaces with a computer system via a USB adapter.